

# Pressure Care



## MEETING INDIVIDUAL REQUIREMENTS

LOW RISK | HIGH RISK | VERY HIGH RISK




Yes, you can.®

Making Life's  
Experiences Possible


# Premier

DURABILITY AND PROTECTION



Equipped with a suite of features that ensures durability, sustained high degree of protection against tissue damage for the patient and an ingeniously designed insert pad, the Softform Premier mattress really does provide exceptional pressure reduction and comfort.

**High Risk**





# Softform Premier

## Unique Features

## Benefits

<b>Deep contoured insert pad for enhanced pressure care area</b>	Maximises body contact area and optimises pressure reduction
<b>Cover fabric conforms to deep contoured foam castellations on the upper surface of the insert pad when mattress is profiled</b>	Minimizes rucking of cover fabric on top surface, reducing potential for tissue damage
<b>Suitable for High Risk patients / Very High Risk when used in conjunction with a profiling bed</b>	Can contribute significantly to pressure ulcer prevention
<b>No need to turn over</b>	Reduces manual handling issues
<b>Single piece foam 'U' core</b>	Facilitates patient transfer by providing effective side-wall support
<b>Double-coated poly-urethane sides</b>	Reduces the risk of strike through, hydrolysis or relamination
<b>Two way stretch poly-urethane waterproof cover</b>	Provides excellent recovery and durability and helps reduce shear and friction forces
<b>High frequency welded seams and zip</b>	Reduces risk of fluid ingress
<b>Full length waterfall flap conceals the zip</b>	Further risk reduction of fluid ingress (through zip)
<b>Toughened PU coated base</b>	Prolongs longevity of the mattress
<b>Water penetration resistance</b>	35 kPa minimum (BS 3424: part 26). 35 kPa minimum after 20,000 cycles Martindale Abrasion Test EN ISO 5470-2

## Tech Specs

<b>RISK LEVEL</b>					<b>WARRANTY</b>
<b>Risk Level</b> High	<b>User weight</b> 247.6kg	<b>Length</b> 1970mm	<b>Width</b> 880mm	<b>Depth</b> 152mm	<b>Warranty</b> 4yr cover 8yr foam




# MaxiGlide

EXCEPTIONAL PRESSURE & SHEAR REDUCTION



This mattress not only provides exceptional pressure reduction and patient comfort but its patented design allows the top surface supporting the patient to remain in position when profiling. This significantly reduces the potential for shear and friction against patient tissue.

**High Risk**



# Softform MaxiGlide

## Unique Features

## Benefits

<b>Patented Glide system allows mattress to fully conform to the bed frame</b>	Optimises the properties of a profiling bed
<b>Top surface remains under patient throughout profiling of an electric bed</b>	Significantly reduces shear and friction forces, most particularly on the heel areas which are especially vulnerable to pressure ulcer development
<b>Cover fabric conforms to deep contoured foam castellations on upper surface of the insert pad when mattress is profiled</b>	Minimizes rucking of cover fabric on top surface, reducing potential for tissue damage
<b>Does not require turning or rotating</b>	Significantly reduces manual handling issues and helps to facilitate staff management resources
<b>Two-way stretch PU waterproof cover</b>	Provides excellent recovery and durability
<b>High frequency welded seams</b>	Reduces risk of fluid ingress and positively contributes to infection control
<b>Full length flap conceals the zip</b>	Reduces possible fluid ingress through the zip
<b>Toughened PU coated base</b>	Prolongs longevity of the mattress and reduces the risk of strike through, hydrolysis and delamination
<b>Deep contoured insert pad for enhanced pressure area care</b>	Maximise body contact area and optimises pressure reduction
<b>Single piece foam "U" core</b>	Facilitates patient transfer by providing effective side-wall support
<b>Does not impede CPR procedures</b>	Clinically assessed to ensure this does not occur
<b>Double-coated PU sides</b>	Reduces potential for physical damage
<b>Optional Evacuation Straps</b>	Provides extra safety for the patient and carer in case of an emergency
<b>Water penetration resistance</b>	35 kPa minimum (BS 3424: part 26), 35 kPa minimum after 20,000 cycles Martindale Abrasion Test EN ISO 5470-2

## Tech Specs

### RISK LEVEL

Risk Level  
High



User weight  
247kg



Length  
1970mm



Width  
880mm



Depth  
150mm

### WARRANTY

Warranty  
4yr cover  
8yr foam



Yes, you can.®

# Active 2

VERSATILITY AND COMFORT



The Softform Premier Active 2 retains properties as a high risk reactive support surface however should a patient require stepping up to an Active support surface, then a discrete pump can be fitted transforming the mattress into a dynamic surface and delivering additional levels of pressure relief.

**High/Very High Risk**



# Softform Premier Active 2

## Unique Features

Unique Features	Benefits
<b>Air Insert contained within standard Softform Premier mattress foam construction</b>	Using the pump allows stepping up and down between Reactive and Active alternating systems with minimum patient disruption
<b>Inflation of air cells alternates on a 10 minute cycle</b>	Promotes tissue recovery and pressure distribution
<b>New air cell design</b>	For the users safety and peace of mind
<b>Air system placed beneath foam insert</b>	Greatly reduces risk of sharps puncture
<b>Mattress can stay on the bed for a wide range of patients.</b>	Reduces moving and handling issues; minimizes additional storage requirements.
<b>High risk static mattress, delivering exceptional pressure reduction and patient comfort</b>	In the event of a power failure, the patient is still resting on a high risk pressure reducing surface, minimizing the potential of pressure damage occurring until power is restored
<b>Mattress does not require turning Reduces manual handling issues</b>	Reduces manual handling issues
<b>Two- way stretch PU waterproof cover</b>	Provides excellent recovery and durability, and helps reduce shear and friction forces
<b>High frequency welded seams</b>	Reduces the risk of fluid ingress
<b>Full length flap conceals the zip</b>	Reduces the possible fluid ingress through the zip
<b>Toughened PU coated base</b>	Prolongs the longevity of the mattress
<b>Single piece of foam "U" core</b>	Facilitates patient transfer by providing side wall support
<b>Water penetration resistance</b>	35 kPa minimum (BS 3424: part 26). 35 kPa minimum after 20,000 cycles Martindale Abrasion Test EN ISO 5470-2


## Tech Specs

### RISK LEVEL


**Risk Level**  
High - Very High



**User weight**  
247.6kg



**Length**  
1970mm



**Width**  
880mm



**Depth**  
152mm

### WARRANTY

**Warranty**  
4yr cover  
8yr foam  
2yr pump



Yes, you can.®

# Softform Premier **Active 2** **King Single**

WITH RX CONTROL UNIT



The Softform Premier Active 2 King Single retains properties as a high risk reactive support surface however should a patient require stepping up to an Active support surface, then a discrete pump can be fitted transforming the mattress into a dynamic surface and delivering additional levels of pressure relief.

**High/Very High Risk**



# Softform Premier Active 2 King Single

## Unique Features

<b>Air Insert contained within standard Softform Premier mattress foam construction</b>	Using the pump allows stepping up and down between Reactive and Active alternating systems with minimum patient disruption
<b>Inflation of air cells alternates on a 10 minute cycle</b>	Promotes tissue recovery and pressure distribution
<b>New air cell design</b>	For the users safety and peace of mind
<b>Air system placed beneath foam insert</b>	Greatly reduces risk of sharps puncture
<b>Mattress can stay on the bed for a wide range of patients.</b>	Reduces moving and handling issues; minimizes additional storage requirements.
<b>High risk static mattress, delivering exceptional pressure reduction and patient comfort</b>	In the event of a power failure, the patient is still resting on a high risk pressure reducing surface, minimizing the potential of pressure damage occurring until power is restored
<b>Mattress does not require turning Reduces manual handling issues</b>	Reduces manual handling issues
<b>Two- way stretch PU waterproof cover</b>	Provides excellent recovery and durability, and helps reduce shear and friction forces
<b>High frequency welded seams</b>	Reduces the risk of fluid ingress
<b>Full length flap conceals the zip</b>	Reduces the possible fluid ingress through the zip
<b>Toughened PU coated base</b>	Prolongs the longevity of the mattress
<b>Single piece of foam "U" core</b>	Facilitates patient transfer by providing side wall support
<b>Water penetration resistance</b>	35 kPa minimum (BS 3424: part 26). 35 kPa minimum after 20,000 cycles Martindale Abrasion Test EN ISO 5470-2

## Benefits

## Tech Specs

<b>Softform Premier Active 2 RX Mattress King Single</b>					
	<b>Length</b>	<b>Width</b>	<b>Depth</b>	<b>Unit weight</b>	<b>User weight</b>
	1970mm	1050mm	152 mm	14kg	247.6kg
	<b>Height</b>	<b>Width</b>	<b>Depth</b>	<b>Unit weight</b>	
	155mm	275mm	105 mm	1.75kg	

## Codes

- Softform Premier Active 2 mattress King Single  
Code: SPAM2-197/105
- Rx Pump  
Code: 1630272
- King Single mattress and pump  
Code: PKG-ACTIVE2RX-KS



Yes, you can.®

# Dacapo Heavy Duty

## FIRM COMFORTABLE AND CUSHIONED

Designed to match customer's requirements within Invacare's homecare and hospital bed ranges. With a 350kg maximum user weight, the Dacapo® Heavy Duty has been developed to offer optimal cushioning and pressure relief without compromising on hygiene and user friendliness.



**At Risk**

Unique Features	Benefits
<b>Heavy duty</b>	Tailored to meet the needs of the larger user and offers a firm, comfortable cushioned support
<b>Heavy user cover</b>	100% fluid-proof, coated polyester with polyurethane, Breathable, Two way stretch capacity, Washable at 95 degrees
<b>Two high resilience foams</b>	This model can be reversed to adjust to the degree of firmness and support required by the user
<b>Fire retardancy</b>	Conforming to European Standard EN 597 - 1 and European Standard EN 597 - 2

## Features



**Heavy Duty**  
maximum 350 kg:  
Top (50 mm) visco-elastic foam  
50 kg/m<sup>3</sup>:  
Base (50 mm) high resilient foam  
38 kg/m<sup>3</sup>:  
Base (50 mm) high resilient foam  
50 kg/m<sup>3</sup>



Easy Handling.



Discretely zippered on three sides with cloth covering.

## Tech Specs

### RISK LEVEL


Risk Level  
At Risk



User weight  
350kg



Length  
2000mm



Width  
1160mm



Depth  
150mm

### WARRANTY

Warranty  
2yr cover  
2yr foam



# Standard Mattresses


## FOR LOW AND MEDIUM RISK USERS

The Standard Range of mattresses from Invacare provides the basis of a skin integrity program and reduction in the risk of developing pressure ulcers. These quality support surfaces feature effective comfort for low and medium risk users and accurate pressure distribution for greater patient comfort.

### INV 410 ECONOMY DUAL CORE MATTRESS



- Inbuilt upper convolute core layer
- Combination Cover: Upper 2-way stretch, Base heavy duty PVC
- Product weight: 7.5kg


				WARRANTY
INV 410	Length 1960mm	Width 880mm	Depth 135mm	Warranty 1 year
INV 410B	1880mm	880mm	135mm	1 year



### INV 420 PREMIUM GRADED DENSITY PRESSURE MATTRESS


- Premium core, graded Density, Modulated Upper
- Combination Cover: Upper 2-way stretch, Base heavy duty PVC
- Product weight: 10kg


			WARRANTY
Length 1960mm	Width 880mm	Depth 150mm	Warranty 2 years



### INV 430 DELUXE 3-CORE PRESSURE RELIEVING MATTRESS



- Multi-Core Combination Design, Upper Visco™ Pressure Sensitive Memory Layer
- Combination Cover: Upper 2-way stretch, Base heavy duty PVC
- Product weight: 12kg


			WARRANTY
Length 1960mm	Width 880mm	Depth 150mm	Warranty 2 years



### INV 440 DELUXE 3-CORE PRESSURE RELIEVING MATTRESS WITH STRENGTHENED SIDES

- Multi-Core Combination Design Upper Visco™ Pressure Sensitive Memory Layer
- Combination Cover: Upper 2-way stretch, Base heavy duty PVC
- Product weight: 12kg

			WARRANTY
Length 1960mm	Width 880mm	Depth Peak 245mm Base 150mm	Warranty 2 years



# Accessories

## Softform Heelpads

Designed to reduce pressure on the vulnerable heel area, the Softform Heel pad provides excellent immersion for high risk areas, the gel sacs allowing pressure displacement and even weight distribution.

The Softform Heel pads are available in double or single models. Both feature high frequency welded seams to prevent contamination, have a vapour permeable stretch cover with PU base and are comparatively lightweight (at 3.58kg and 1.5kg respectively) to enable safe and easy handling for carers.

## Softform Odstock Wedge

Designed to reduce pressure under the heel, without increasing pressure on the thighs and calves the Odstock wedge helps support the patient from slipping down the bed, thus reducing shear forces in the sacral area.

By tilting the pelvis, it also reduces lumbar lordosis. This makes the Odstock wedge ideal after back surgery and improving the sleeping position of people with back problems.



### Unique Features

### Benefits

<b>Gel sac in Softform Heelpad</b>	Providing excellent immersion for the high risk heel zone
<b>High frequency welded seams</b>	Protects products from contamination, ensuring product integrity
<b>Vapour permeable stretch cover with PU base</b>	High quality materials promote product longevity
<b>Products designed to be used in conjunction to provide improved support to the lower limbs</b>	Reduces the requirement for patient handling



FOR FURTHER INFORMATION:

**New Zealand:** Freephone 0800 468 222, email [sales@invacare.co.nz](mailto:sales@invacare.co.nz) or visit [www.invacare.co.nz](http://www.invacare.co.nz)

**Australia:** Freephone 1800 460 460, email [orders@invacare.com.au](mailto:orders@invacare.com.au) or visit [www.invacare.com.au](http://www.invacare.com.au)

**Asia:** Phone +61 2 8839 5330, email [anzexportsales@invacare.com](mailto:anzexportsales@invacare.com) or visit [www.invacare.com](http://www.invacare.com)

**Thailand:** Phone +66 0 2108 8555 or visit [www.invacare.com](http://www.invacare.com)



**Yes, you can.®**